

CorePro LEDbulb

CorePro LEDbulb 15-100W 827 F27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.



Product data

• General Information

Cap-Base E27 A67 [A 67mm] **Bulb Shape** Nominal Lifetime 15000 h

(Nom)

Switching Cycle 50000X Technical Type 15-100W

• Light Technical

Color Code 827 [CCT of 2700K] Luminous Flux 1521 lm

(Nom)

Luminous Flux 1521 lm

(Rated) (Nom)

Color Designation Warm White (WW) Correlated Color 2700 K

Temperature (Nom) Luminous Efficacy (rated) (Nom)

Color Consistency 6 steps Color Rendering Index (Nom)

LLMF At End Of Nominal Lifetime (Nom)

70 %

101.4 lm/W


• Operating and Electrical

50 to 60 Hz Input Frequency 15 W Power (Rated)

(Nom) Lamp Current (Nom) 130 mA Wattage Equivalent 100 W Starting Time (Max) 0.5 s

Warm Up Time To instant full light 60% Light (Nom)

Dimensional drawing



Power Factor (Nom) 0.5 220-240 V Voltage (Nom)

• Temperature

90 °C T-Case Maximum

(Nom)

• Controls and Dimming

Dimmable No

• Mechanical and Housing

Bulb Finish Frosted

• Approval and Application

Suitable For Accent No Lighting Energy Efficiency Label (EEL) Energy Consumption 15 kW kWh/1000 h

Product Data

Full product code 871869641464400

Order product name EAN/UPC - Product CorePro LEDbulb 15-100W 827 E27

8718696414644 Order code Numerator - Quan-929001125702

tity Per Pack Numerator - Packs

per outer box

Material Nr. (12NC) Net Weight (Piece) 929001125702 0.126 kg


LED 15-100W E27 827 220-240V Frosted

CorePro LEDbulb 15-100W 827 E27 68 mm 132 mm

Dimensional drawing



Photometric data





© 2015 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.