



CorePro LEDspot LV

CoreProLEDspotLV ND 4.7-35W 827 MR16 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with MR16 GU5.3 holders and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver huge energy savings and minimize maintenance cost.

Product data

General Information	7 0
Cap-Base	GU5.3 [GU5.3]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	4.7-35W
	X.0
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	36 °
Luminous Flux (Nom)	380 lm
Luminous Flux (Rated) (Nom)	380 lm
Luminous Intensity (Nom)	900 cd
Color Designation	Warm White (WW)
Rated Beam Angle	36 °
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (Rated) (Nom)	80.85 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	380 lm
Operating and Electrical	
Power (Rated) (Nom)	4.7 W


4		
7	Lamp Current (Nom)	580 mA
	Wattage Equivalent	35 W
Þ	Starting Time (Nom)	0.5 s
	Warm Up Time to 60% Light (Nom)	1 s
	Power Factor (Nom)	0.5
	Voltage (Nom)	12 V
	Temperature	
	T-Case Maximum (Nom)	76 °C
	Controls and Dimming	
	Dimmable	No
	Approval and Application	
	Energy Saving Product	Yes
	Suitable For Accent Lighting	Yes
	Energy Efficiency Label (EEL)	A+
	Energy Consumption kWh/1000 h	6 kWh
	Product Data	
	Full product code	871869657943500
	Order product name	CoreProLEDspotLV ND 4.7-35W 827 MR16 36D
	EAN/UPC - Product	8718696579435

Datasheet, 2018, May 24 data subject to change

CorePro LEDspot LV

Order code	929001240302
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001240302


Dimensional drawing





MR16 12V 5W-35W 380lm 36D 2700K GU5.3 ND

Product С CoreProLEDspotLV ND 4.7-35W 827 MR16 36D 50 mm 46 mm

Photometric data







Lally of the state of the state

