



Фрезер СМТ за дърво профилен прав, без лагер $\phi 20 \times 20/57.2$ мм, $\phi 8$ мм, 911




The cutting edge top sharpening on 9mm diameter bits and larger allows for short plunging operations.



Drawing are 1:1 scale




Biscuit joint using bit #7/8/911.040.11




Mortise and tenon



Rabbet




Right-angle joint



Union



Tongue and groove joint



Box joint

These razor-sharp, double-faced cutters perfectly synthesize the characteristics and advantages that define quality CMT products. Made of special Fatigue Proof® steel and micrograin carbide, our straight bits can withstand even the heaviest work load and still give you a smooth, precise cut every time. You also get exceptional chip ejection to allow cleaner and more constant cutting.

The surface of all CMT bits is protected with our trademark orange non-stick PTFE to help keep the bit from collecting resin, pitch and other residue.

Every bit is submitted to strict quality tests to guarantee perfect cutting tolerance, balance and concentricity. CMT bits allow production on an industrial scale using a variety of plywood, composites and natural woods.

CMT produces 91 types of straight bits in a wide range of diameters so you can find exactly what you want.



Tungsten carbide
Tipped



Solid tungsten carbide



One cutting edge



Two cutting edges

Right-hand rotation

Ташев-Галвинг ООД
www.tashev-galving.com

| D mm | I mm | L mm | ORDER NO. S=Ø6mm | ORDER NO. S=Ø6,35mm | ORDER NO. S=Ø8mm | ORDER NO. S=Ø12mm | ORDER NO. S=Ø12,7mm |
|---------|---------|---------|---------------------|------------------------|---------------------|----------------------|------------------------|
| • 2* | 4 | 38 | 711.020.11 | 811.020.11 | | | |
| • 3 | 8 | 45 | 711.030.11 | 811.030.11 | 911.030.11 | | |
| • 3 | 8 | 58,3 | | | | 911.530.11 | |
| • 3,2 | 9,5 | 45 | | 811.032.11 | | | |
| • 4 | 10 | 58,3 | | | | 911.540.11 | |
| • 4 | 10 | 45 | 711.040.11 | 811.040.11 | 911.040.11 | | |
| • 4,75 | 12,7 | 50,8 | | 811.047.11 | | | |
| • 5 | 12 | 50,8 | 711.050.11 | 811.050.11 | 911.050.11 | | |
| • 5 | 12 | 58,3 | | | | 911.550.11 | |
| • 6 | 16 | 50,8 | 711.060.11 | 811.060.11 | 911.060.11 | | |
| • 6 | 19 | 60,3 | | | | | 811.560.11 |
| • 6 | 19 | 65 | | | | 911.560.11 | |
| • 6,35 | 19 | 50,8 | | 811.064.11 | | | |
| • 6,35 | 19 | 57,2 | | 811.065.11 | | | |
| • 6,35 | 19 | 60,3 | | | | | 811.564.11 |
| • 7 | 18 | 48 | 711.070.11 | 811.070.11 | 911.070.11 | | |
| • 7 | 18 | 65 | | | | 911.570.11 | |
| • 7,6 | 20 | 51 | | | | 911.076.11 | |
| • 8 | 20 | 48 | 711.080.11 | 811.080.11 | 911.080.11 | | |
| • 8 | 25,4 | 71,5 | | 811.081.11 | | | |
| • 8 | 25,4 | 70 | | | | | 811.581.11 |
| 9 | 20 | 48 | 711.090.11 | | 911.090.11 | | |
| 9,5 | 19 | 50,8 | | 811.095.11 | | | |
| 9,5 | 25,4 | 63,5 | | 811.096.11 | | | |
| 9,5 | 25,4 | 66,7 | | | | | 811.595.11 |
| 10 | 20 | 48 | 711.100.11 | 811.100.11 | 911.100.11 | | |
| 10 | 25,4 | 63,5 | | | | | 811.600.11 |
| 11 | 20 | 48 | 711.110.11 | | 911.110.11 | | |
| 12 | 20 | 50 | 711.120.11 | 811.120.11 | 911.120.11 | | |
| 12 | 25,4 | 63,5 | | | | 911.620.11 | 811.620.11 |
| 12,3 | 25,4 | 57,2 | | 811.123.11 | | | |
| 12,3 | 25,4 | 63,5 | | | | | 811.623.11 |
| 12,7 | 19 | 57,2 | | 811.127.11 | | | |
| 12,7 | 25,4 | 66,7 | | | | | 811.627.11 |
| 12,7 | 31,7 | 82,5 | | | | | 811.628.11 |
| 13 | 20 | 57 | 711.130.11 | | 911.130.11 | | |
| 14 | 20 | 50 | 711.140.11 | 811.140.11 | 911.140.11 | | |
| 14,2 | 14,2 | 57,2 | | 811.142.11 | | | |
| 15 | 20 | 57,2 | 711.150.11 | 811.150.11 | 911.150.11 | | |
| 15,8 | 19 | 66,7 | | 811.158.11 | | | |
| 15,8 | 25,4 | 63,5 | | | | | 811.660.11 |
| 16 | 20 | 57,2 | 711.160.11 | 811.160.11 | 911.160.11 | | |
| 16 | 25,4 | 63,5 | | | | | 811.661.11 |
| 17 | 20 | 50 | 711.170.11 | | | | |
| 18 | 20 | 50 | 711.180.11 | 811.180.11 | 911.180.11 | | |
| 18,2 | 25,4 | 57,2 | | 811.182.11 | | | |
| 18,2 | 25,4 | 63,5 | | | | | 811.682.11 |
| 19 | 20 | 57,2 | 711.190.11 | 811.191.11 | 911.190.11 | | |
| 19 | 25,4 | 63,5 | | | | | 811.690.11 |
| 20 | 20 | 50 | 711.200.11 | 811.200.11 | 911.200.11 | | |
| 22 | 20 | 57,2 | 711.220.11 | 811.220.11 | 911.220.11 | | |
| 24 | 20 | 50 | 711.240.11 | | 911.240.11 | | |
| 25 | 20 | 50 | 711.250.11 | | 911.250.11 | | |
| 25,4 | 19 | 50,8 | | 811.254.11 | | | |
| 25,4 | 31,7 | 76,2 | | | | | 811.754.11 |
| 28,5 | 31,7 | 76,2 | | | | | 811.785.11 |

• HWM
• 71

Продукт: [Фрезер CMT за дърво профилен прав, без лагер ф 20x20/57.2 мм, ф 8 мм, 911](#)

Категория: [Консумативи за фрези и обертфрези](#)

Бранд: [CMT](#)

Категория бранд: [Фрезер CMT](#)