



Tools for Drywall Professionals



Knauf Board Strip Cutter

- ▶ Special tool for cutting perfect strips of gypsum boards with ease. Max width of strips - 200mm.



Knauf Duo Beveller & Rasp combo

- ▶ A two in one tool for chamfering/ bevelling the cut edges of gypsum boards to achieve 45° or 22° surfaces for improving joint treating applications.



Knauf Board Saw

- ▶ A light and easy to handle saw with auger shaped tip used for making cutouts in gypsum boards. Can also be used for making pilot holes for power plug installations.



Knauf Hand Rasp

- ▶ Easy to use hand rasp for sanding gypsum board surfaces to achieve smooth surfaces.



Knauf Board Lifter

- ▶ Special tool for lifting gypsum boards single handedly when fixing them on metal framing.



As end-users' demands for higher quality living or working spaces increase, and developers' project delivery timings decrease, contractors are always looking for ways to improve their projects' productivity and efficiency.

Knauf Drywall tools are specially developed to meet such demands. This extensive range of drywall tools can be used for all kinds of standard and specialized drywall constructions such as partitions, ceilings and wall linings.

Intelligently designed for the end-user, the entire range of Knauf Drywall tools includes timesaving devices that play an integral role in the smooth and hassle-free installation of Knauf products.

Knauf Bit Chuck HK11

Special drill bit for sinking drywall screws exactly 1mm below the board surface.



Knauf Putty Mixer

Drill bit used for mixing gypsum board putties for homogeneous consistency.




Knauf Trowel

Lightweight trowel with plastic handles for filling gypsum board joints with joint compounds.



Knauf Skim Coat Trowel

Trowels for applying skim coating compounds on the whole surface of gypsum boards.



Knauf Rounded Spatula

Rustproof spatula and screwdriver in one for joint treatment.





Knauf Rounded Spatula, Cleaneo Edition

Rustproof spatula developed specially for Knauf Cleaneo Acoustic Board applications. Edge design of spatula allows the tool to easily remove the excess joint fillers coming out of cut edge joints of the Cleaneo Boards.



Knauf Cleaneo Assembly Kit

Tool set for Knauf Cleaneo Acoustic applications. Set consists of plastic nozzle, plunger, shell and two assembly aids. Plastic nozzle is used for the application of Knauf Uniflott Joint Compound and assembly aids are used for aligning circular perforation designs to achieve flawless surfaces.



Knauf Pouch Gun

Pouch gun for applying Knauf Acoustical Sealants and Knauf Uniflott Joint Compound.



Knauf Stamp Pliers

Easy to use stamp plier for connecting studs and tracks together without the involvement of screws. Special design allows the tool to be used with ease with a single hand.



Knauf String Line

15 m string with pigment pouch for marking the locations of ceiling heights, partition tracks etc.





Knauf Mobile Gypsum Board Lifter

- ▶ Safe and user friendly board lifter for gypsum board ceiling applications. Max. lifting height - 3.5m. Heavy duty wheels with mechanical breaks allows efficient use on building sites. Easy dismantling and compact storage.



Knauf Board Roller

- ▶ Roller for transporting gypsum board sheets with ease. Max. load capacity - 400 kg.



Knauf Utility Knife

- ▶ Utility knife for scoring and snapping gypsum boards with ease.



Knauf Tool Box

- ▶ Sturdy and rigid tool box for storing and transporting the necessary Knauf tools on site applications.




If you are interested in learning more about Knauf Drywall tools, please contact us. We also provide training and instructions on proper handling of the tools described in this brochure.

The information given in this document is believed to be current and accurate as at the date of publication, but no warranty express or implied is given. Updates will not be automatically issued. As part of our policy of continuous product development, we reserve the right to revise specification without notice. The information given in this publication is provided for guidance only and is correct to the best of our knowledge and belief. It is inevitable generalized and users should satisfy themselves as to the sustainability for the specific circumstances in which they seek to apply it.



Knauf Technical Assistance

 +971 4 337 7170

 info@knauf.ae

 www.knauf.ae

Knauf LLC

P.O.Box 112871 Dubai United Arab Emirates
Tel.: +971 4 337 7170 Fax: +971 4 334 9659
Email: info@knauf.ae
www.knauf.ae