





Leaf Blowers

HUSQVARNA 125B

Revolutionary handheld blower that combines high power with state-of-the-art ergonomic design. The blower tube is engineered to be in line with the handle, minimizing rotational force on the wrist. The 125B blower is perfect for homeowner use.

 Cylinder displacement	28 cm³
 Air flow in pipe	425 cfm
 Air speed	170 mph
 Weight	9.4 lbs



Ташев-Галвинг ООД
www.tashev-galving.com

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its design and features.



Auto return stop switch

Stop switch automatically resets to the ON position for easier starting.



Cruise control

Fan speed can be set for easier handling.

Adjustable tube length

The blowing tube length is adjustable for best performance.



Intuitive controls

The controls are well gathered and easy to access.



- Air Purge

- Inline design

Ташев-Галвинг
www.tashev-galving.com

Specifications

Engine

Cylinder displacement	28 cm³
Power output	1.1 hp
Maximum power speed	8000 rpm
Fuel tank volume	18.5 fl oz
Idling speed	3000 rpm
Electrode gap	0.024 in
Spark plug	Champion RCJ6Y
Fuel consumption	575 g/kWh

Dimensions

Weight	9.4 lbs
Product Size, LxWxH	14.9x8.1x13.4 in

Sound and Noise

Sound power level, guaranteed (LWA)	112 dB(A)
Sound power level, measured	109 dB(A)
Sound pressure level at operators ear	94 dB(A)

Capacity

Air flow in housing	470 cfm
Air flow in pipe	425 cfm
Air speed	170 mph
Air speed (flat nozzle)	170 mph
Air speed (round nozzle)	130 mph
Blowing Force	12.5 N

Equipment

OEM Harness	--
OEM Nozzle type	Round+ Flat

Vibration

Equivalent vibration level (ahv, eq) handle	11.1 m/s²
---	-----------------------------

Ташев-Галвини ООД
www.tashev-galvini.com